



Safe-Guard®* Swine Dewormer 1.80%

▶ **MEDICATED** ◀

For the further manufacture of swine feed

For the removal and control of: **Lungworms:** (*Metastrongylus apri*, *Metastrongylus pudendotectus*). **Gastrointestinal worms:** Adult and larvae (L3, L4 stages, liver, lung, intestinal forms), large roundworms (*Ascaris suum*); nodular worms (*Oesophagostomum dentatum*; *Ornithostrongylus quadrispinulatum*); small stomach worms (*Hyostrongylus rubidus*); Adult and larvae (L2, L3, L4 stages – intestinal mucosal forms) whipworms (*Trichuris suis*); **Kidney worms:** Adult and larvae (*Stephanurus dentatus*).

ACTIVE DRUG INGREDIENT

Fenbendazole 1.80% (8.164 g/lb.)

INGREDIENTS

Roughage Products, Calcium Carbonate, Mineral Oil.

MIXING AND USE DIRECTIONS

Pounds of Premix	Pounds of Pork Premix Will Deworm	No. of 50 pound pigs Dewormed	No. of 100 lb pigs Dewormed
0.4	800	16	8
0.8	1,600	32	16
2.0	4,000	80	40
4.0	8,000	160	80

Mix 0.4 pound of premix in the ration for each 800 pounds of pork to be dewormed. Feed as the sole ration for 3-12 consecutive days. This ration should supply a total intake of 4.08 mg. Fenbendazole per pound of pork.

FOR INDIVIDUAL FEEDING

300 lb. gilt: Add 0.8 oz. daily to the gilts ration for 3 consecutive days.

450 lb. sow: Add 1.2 oz. daily to the sow ration for 3 consecutive days.

LIMITATIONS: Feed as the sole ration in complete feed for a period of 3-12 days so to provide a total intake of 9 mg/kg of bodyweight. No withdrawal time is required.

NOTE: Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

Manufactured for

MWI Animal Health
124 Country Club Road
Iowa Falls, IA 50126

*SAFE-GUARD® is a registered trademark of Intervet Inc., d/b/a Merck Animal Health, a subsidiary of Merck & Co. Inc., All rights reserved

NET WEIGHT 20 POUNDS (9.07 kg)

G3493077

12516