



## APPLICATIONS

Load Chutes • Farrowing Mats  
Trailers • Post Facility Washing  
Livestock Bedding • Dry Footbaths

## INGREDIENTS

Chloramine T • Copper Sulfate  
Blend of Essential Oils  
Drying Agents

### STORAGE

Store in a cool, dry area.  
Keep out of direct sunlight.  
Reseal when not in use.


### NOTICE TO BUYER

Seller makes no warranty concerning  
the use of this product other than  
indicated on the label.

**CAUTION**  
KEEP OUT OF  
REACH OF CHILDREN



Manufactured by Ascension Ag  
PO Box 251, Ames, IA 50010  
(515) 203-3536  
[AscensionAg.com](http://AscensionAg.com)



### DIRECTIONS FOR USE

**TARGETED APPLICATION:** Using proper PPE, spread ChloraSorb evenly with a gloved hand or with a hand-scoop at a rate of 1 lb./ 10 sq. ft. to completely cover targeted surfaces. Apply ChloraSorb following animal movements on clean or dirty surfaces. Apply additional ChloraSorb as warranted for excessive messing, moisture, or infectious areas.

**WHOLE FACILITY APPLICATION:** Using proper PPE, place a 3-in-1 blower\* intake tube into the ChloraSorb bucket. Blow ChloraSorb at a rate of 1 lb./ 100 sq. ft. to completely cover livestock facilities or trailer surfaces. For areas of excessive messing and moisture, use Targeted Application method; see above. \*Toro 51619 Ultra Electric Blower Vac recommended model for blower application.

**DRY FOOTBATH:** : Add ChloraSorb to boot pan to a depth of 1". Replace all ChloraSorb at least every two weeks or as often as necessary to allow clean product to contact all surfaces of the boot bottom.

### INSTRUCCIONES DE USO

**APLICACIÓN DIRIGIDA:** Usando el PPE adecuado, extienda ChloraSorb uniformemente con una mano enguantada o con un cucharón a razón de 1 lb. / 10 pies cuadrados (1 lb./ 1 metro cuadrado) para cubrir completamente las superficies seleccionadas. Aplique ChloraSorb siguiendo el movimiento de los animales en superficies limpias o sucias. Aplique ChloraSorb adicional según se justifique por exceso de suciedad, humedad o áreas infecciosas.

**APLICACIÓN EN TODA LA INSTALACIÓN:** Usando el PPE adecuado, coloque un tubo de admisión de ventilador 3 en 1\* en el balde ChloraSorb. Sople ChloraSorb a razón de 1 lb./ 100 pies cuadrados (1 lb./ 10 metros cuadrados) para cubrir completamente las instalaciones de ganado o las superficies de los remolques. Para áreas con exceso de suciedad y humedad, use el método de aplicación dirigida; véase arriba (Aplicación dirigida). \*Se recomienda utilizar la sopladora eléctrica Toro 51619 Ultra Electric Blower Vac.

**BAÑO DE PIES SECO:** Agregue ChloraSorb a la bandeja de desinfección de botas a una profundidad de 1". Reemplace todo el ChloraSorb al menos cada dos semanas o con la frecuencia que sea necesaria para permitir que el producto limpio entre en contacto con todas las superficies del fondo de la bota.

**WARNING:** Please refer to ChloraSorb Safety Data Sheet prior to use. Harmful if swallowed: Irritant to mouth, throat, esophagus and stomach. Avoid breathing dust, an irritant to mucous membranes of the respiratory tract. Avoid eye contact and direct contact with skin. **PERSONAL PROTECTION:** Wash PPE thoroughly after use. Use adequate ventilation. Goggles and rubber gloves recommended. **IF INHALED:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. **IF SWALLOWED:** Do not induce vomiting. Immediately give two glasses of water. Never give anything by mouth to an unconscious person. Call a physician. **IF IN EYES:** Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

**! WARNING**

**! AVISO**



**Children can fall into bucket and drown.**

**Keep children away from bucket with even a small amount of liquid.**

**Los niños pueden caerse en el balde y ahogarse.**

**Mantener a los niños alejados del balde, aunque éste contenga sólo una pequeña cantidad de liquido.**

# CHLORASORB

## LIVESTOCK HYGIENE POWDER

Livestock hygiene powder to maintain and support animal health and facility biosecurity. Use in swine, poultry, dairy, and other livestock facilities.

**40 lbs (18.1 kg)**