



This product was produced in a facility certified in the American Feed Industry Association's Safe Feed/Safe Food Certification Program; for details go to: www.safefeedsafefood.org

BV Sol®

Water acidifier for poultry and livestock drinking water

GUARANTEED ANALYSIS:

Formic Acid.....Maximum 61.0%
Sodium Formate.....Minimum 20.5%

DANGER

(Contains: Formic Acid)

HAZARD STATEMENTS:


- H318 Causes serious eye damage.
- H315 Causes skin irritation.
- H332 Harmful if inhaled.
- H302 Harmful if swallowed.

PRECAUTIONARY STATEMENTS:

- P260 - Do not breathe dust/fume/gas/mist/vapours/spray
- P264 - Wash clothing, hands, forearms and face thoroughly after handling
- P280 - Wear eye protection, protective clothing, protective gloves
- P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
- P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 - Immediately call a doctor; a poison center
- P321 - Specific treatment (see first aid instructions on this label)
- P363 - Wash contaminated clothing before reuse
- P405 - Store locked up
- P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

ATTENTION:

Adverse reactions can be reported to and the SDS for this product can be obtained from CHEMTREC, 800-424-9300 or 703-527-3887 outside the US.



FIRST AID: Eyes – IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention immediately. Continue rinsing. Skin – IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. Get medical attention immediately. Inhalation – IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen. Ingestion – IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention if you feel unwell.

HANDLING AND STORAGE: Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. This product may cause irritations; wash your hands after every contact. Keep container tightly sealed.

INGREDIENT:

Feed Grade Sodium Formate

INDICATIONS FOR USE:

For use as an acidifying agent in poultry and livestock drinking water.

DIRECTIONS FOR USE:

Mix 2-16 oz per 128 gallons of water. When using proportioners, mix 2-16 oz per gallon of stock solution and set to deliver 1 oz of stock solution per gallon of drinking water - 1:128. Higher rates can be used to achieve desired pH.

Always monitor pH levels to get desired result. Consult your veterinarian for desired optimal levels.
FOR ORAL ANIMAL USE ONLY • KEEP OUT OF REACH OF CHILDREN • STORE IN A COOL DRY PLACE

Distributed by

Best Veterinary Solutions, Inc., Ellsworth, IA 50075
Best Veterinary Solutions, the Solution Company!

11lb per gallon jug

Contents: 4 x 1 gallons

A-223UN



4G/Y23.9/S/23