

ACIDIFIED COPPER SULFATE

Ingredients:

Copper Sulfate, Citric Acid

GUARANTEED ANALYSIS:

Copper (Cu), not less than.....21%

Copper (II) sulfate pentahydrate (CuSO₄), not less than.....87%

WARNING

(Contains: Copper (II) sulfate pentahydrate, Citric acid (1:1:5))

Causes serious eye irritation. Harmful if swallowed. Causes skin irritation.



HAZARD STATEMENTS: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation

PRECAUTIONARY STATEMENTS: Wash hands, forearms and face, clothing thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection, face protection, protective clothing, protective gloves. If swallowed: Call a doctor if you feel unwell. If on skin: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see first aid instructions on this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

FIRST AID: Eyes – IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Continue rinsing if pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing. Skin – IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention. Inhalation – IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen. Ingestion – IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. Get medical attention if you feel unwell.

HANDLING AND STORAGE: Do not handle until all safety precautions have been read and understood. Use appropriate personal protection equipment (PPE). Keep away from sources of ignition - No smoking. Provide appropriate exhaust ventilation at places of dust forming. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not breathe dust. Keep the container tightly closed. Store in a dry, cool and well-ventilated place. Avoid elevated temperatures.

REFER TO SDS FOR MORE INFORMATION

Indications For Use

For use as a supplemental source of copper in turkeys, chickens, and other livestock when copper therapy is indicated.

Directions For Use

Mix 1 lb pack of BVS Acidified Copper Sulfate into 256 gallons of water OR 1 lb pack into 2 gallons of stock solution.

When using proportioners, set to deliver 1 ounce of stock solution per gallon of drinking water - 1:128

CAUTION:

DO NOT USE IN DRINKING WATER FOR SHEEP

NET WEIGHT 35/1 LB (454gm)

MANUFACTURED BY:

BEST VETERINARY SOLUTIONS, INC.

1716 DETROIT ST.

ELLSWORTH, IA 50075

Last Revision of Label: 11/16