

**CALCIUM GLUCONATE 23%- calcium gluconate injection, solution**  
**VetTek**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**CALCIUM GLUCONATE 23%**

**KEEP OUT OF REACH OF CHILDREN**

**INDICATIONS:**

For use in cattle as an aid in treating uncomplicated milk fever (parturient paresis).

**DOSAGE AND ADMINISTRATION:**

For intravenous administration only.

Cattle                      250-500 mL

Dosage may be repeated at 8 to 12 hour intervals if required.

**CAUTION:**

Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon entering, as this product contains no preservative. Discard any unused portion. Do not use if solution is cloudy or contains precipitate.

**NOTE:**

Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

RMS 92-545                      Iss. 04-11  
18-802-50

Manufactured For  
**VETTEK**  
Blue Springs, MO 64014

**NET CONTENTS: 500 mL**

Lot No.              Exp.□

**STERILE**

**For Animal Use Only**

**Each 100 mL CONTAINS:**

**ACTIVE INGREDIENTS:**

Calcium Gluconate  
    (provides 2.14 grams  
    Calcium.....23 grams

Water for Injection.....q.s.

**INACTIVE INGREDIENTS:**

Boric Acid (as a solubilizing agent).....3.5 grams

Electrolytes per 1000 mL:

Calcium 1069 mEq;

Hypertonic pH 2.5-4.5

Osmolarity (calc.)

6,782 mOsmol/L

**Store between 15 degrees C - 30 degrees C (59 degrees F - 86 degrees F).**

**TAKE TIME OBSERVE LABEL DIRECTIONS**

**KEEP OUT OF REACH OF CHILDREN**

**INDICATIONS:** For use in cattle as an aid in treating uncomplicated milk fever (parturient paresis).


**DOSAGE AND ADMINISTRATION:**  
For intravenous administration only.  
Cattle 250-500 mL  
Dosage may be repeated at 8 to 12 hour intervals if required.

**CAUTION:** Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon entering, as this product contains no preservative. Discard any unused portion. Do not use if solution is cloudy or contains precipitate.

**NOTE:** Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

RMS 92-545 Iss. 04-11  
18-802-50

Manufactured For  
**VETTEK**  
Blue Springs, MO 64014



NDC 60270-852-17

**CALCIUM GLUCONATE**

**23%**

**STERILE**

**For Animal Use Only**

**NET CONTENTS: 500 mL**

**VETTEK™**

**Each 100 mL CONTAINS:**

**ACTIVE INGREDIENTS:**  
Calcium Gluconate (provides 2.14 grams)  
Calcium.....23 grams


Water for Injection ..... q.s.

**INACTIVE INGREDIENTS:**  
Boric Acid (as a solubilizing agent).....3.5 grams

Electrolytes per 1000 mL:  
Calcium 1069 mEq;  
Hypertonic pH 2.5-4.5  
Osmolarity (calc.) 6,782 mOsmol/L


**Store between 15°C–30°C (59°F–86°F).**

TAKE TIME



OBSERVE LABEL DIRECTIONS

Lot No.      Exp.



7 45801 10250 7

<b>CALCIUM GLUCONATE 23%</b>			
calcium gluconate injection, solution			
<b>Product Information</b>			
<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:60270-852
<b>Route of Administration</b>	INTRAVENOUS		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	CALCIUM GLUCONATE (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE	23 g in 100 mL
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>	<b>Strength</b>	
	BORIC ACID (UNII: R57ZHV85D4)	3.5 g in 100 mL	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60270-852-17	500 mL in 1 BOTTLE, PLASTIC		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/31/2013	

**Labeler** - VetTek (056387798)**Registrant** - VetTek (056387798)**Establishment**

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture

**Establishment**

Name	Address	ID/FEI	Business Operations
Zhejiang Ruibang Laboratories		544807456	api manufacture

Revised: 2/2015

VetTek